

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ³ :	1.1	11) International Publication Number: WO 83/03480
G02C 7/04	A1	43) International Publication Date: 13 October 1983 (13.10.83)
(21) International Application Number: PCT/US (22) International Filing Date: 4 April 1983	·	. With international search report.
(31) Priority Application Number:	364,9	
(32) Priority Date: 2 April 1982 (02.04.8	
(33) Priority Country:	Ţ	3
(71)(72) Applicant and Inventor: FUHRMAN, Ari 1345 West Avenue, Apt. 1001, Miami Beach, (US).	(US/U: FL 331	
(74) Agents: COHEN, Myron et al.; Hubbell, Cohe & Gross, 551 Fifth Avenue, New York, N (US).		
(81) Designated States: AT (European patent), B pean patent), BR, CH (European patent), D pean patent), DK, FR (European patent), G pean patent), JP, LU (European patent), N pean patent), SE (European patent).	E (Eur B (Eur	

(54) Title: COLORED SOFT CONTACT LENS



(57) Abstract

A cosmetic contact lens (18) is lathe cut from a body of stacked discs fused together (10). The discs are made from hydrophilic polymer, some of which are colored (pigmented or dyed). The pupillary area (26) is formed in a central zone of the lens from a clear layer. The secondary zone (28) formed about the central zone is formed at least partly from one or more colored layers. The peripheral zone (29) formed about the secondary zone is formed from a clear layer. All of the layers are disposed generally parallel to the circular edge (20) of the lens (18), and the layers may be flat or they may be segments of spheres. This construction provides concentric rings of colors in blended, overlapping relationship for covering the iris and giving a cosmetic effect.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT - AU - BE - BR - CG - CH - CM - DE - DR - FI - FR - GA	Austria Australia Belgium Brazil Central African Republic Congo Switzerland Cameroon Germany, Federal Republic of Denmark Finland France Gabon	LI LK LU MC MG MR MW NL NO RO SE SN	Liechtenstein Sri Lenka Luxembourg Monaco Madagascar Mauritania Malawi Netherlands Norway Romania Sweden Senegal
FI	Finland	SE	Sweden
GA GB	Gabon United Kingdom	SN SU TD	Senegal Soviet Union Chad
KP 16 HA	Hungary Japan Democratic People's Republic of Korea	TG	Togo United States of America

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 3: (11) International Publication Number: **WO 83/ 03480** A1 G02C 7/04 (43) International Publication Date: 13 October 1983 (13.10.83)

US

PCT/US83/00481 (21) International Application Number:

(22) International Filing Date: 4 April 1983 (04.04.83)

(31) Priority Application Number: 364,914

(32) Priority Date: 4 April 1982 (04.04.82)

(33) Priority Country:

(71)(72) Applicant and Inventor: FUHRMAN, Ari [US/US]; 1345 West Avenue, Apt. 1001, Miami Beach, FL 33139 (US).

(74) Agents: COHEN, Myron et al.; Hubbell, Cohen, Stiefel & Gross, 551 Fifth Avenue, New York, NY 10176


(81) Designated States: AT (European patent), BE (European patent), BR, CH (European patent), DE (European patent), DK, FR (European patent), GB (European patent), JP, LU (European patent), NL (European patent), SE (European patent).

Published

With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt

of amendments.

(54) Title: COLORED SOFT CONTACT LENS



(57) Abstract

A cosmetic contact lens (18) is lathe cut from a body f stacked discs fused together (10). The discs are made from hydr philic polymer, some of which are colored (pigmented r dyed). The pupillary area (26) is formed in a central zone of the lens fr m a clear layer. The secondary zone (28) formed about the central zone is formed at least partly from one or more colored layers. The peripheral zone (29) formed about the secondary zone is formed from a clear layer. All of the layers are disposed generally parallel to the circular edge (20) of the lens (18), and the layers may be flat or they may be segments of spheres. This construction provides concentric rings f colors in blended, overlapping relationship for covering the iris and giving a cosmetic effect.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	LI	Liechtenstein
. AU	Australia	LK	Sri Lanka
BE	Belgium	LU LU	Luxembourg
BR	Brazil	MC	
CF	Central African Republic		Monaco
ÕĞ		MG	Madagascar
	Congo	MR	Mauritania
CH	Switzerland	MW	Malawi
CM	Cameroon	NL	Netherlands
DE	Germany, Federal Republic of	NO	Norway
DK	Denmark		
FI	Finland	RO	Romania
FR	•	SE	Sweden
	France	SN	Senegal .
GA	Gabon	รบ	Soviet Union
GB	United Kingdom	TD	Chad
HU	Hungary	TG	
JP	Japan		Togo
KP		US	United States of America
***	Democratic People's Republic of Korea		

-1-

COLORED SOFT CONTACT LENS'

Technical Field

This invention relates to corneal contact lens s made of soft plastic material and particularly to soft

contact lenses manufactured by lathe cutting or machining a preformed multicolored body of plastic material in prehydrated condition.



Background Art

Hydrophilic or soft contact lenses are mainly produced from water-absorbable plastic materials such as 2-hydroxymethyacrylate (HEMA) which may b crosslinked with a tetra-functional monomer such as ethylene glycol dimethacrylate as disclosed in U.S. Patent No. 3,988,274.

Attempts have been made to color such soft contact lenses for the purpose of enhancing the aesthetic beauty of the eye of the wearer of the colored lens. One prior art technique is to paint or print a colored portion onto a soft contact lens using an implement such as a brush, as disclosed in Contact Lens Forum, Volume 3, No. 8, August, 1978, page 89. Another technique involves the cementing of a colored covering layer onto a clear hydrogel lens as disclosed in U.S. Patent No. 3,679,504.

According to these techniques, the entire surface of the contact lens is colored. This is a disadvantage since the coloring material separates from the lens during use and is not sufficiently gas permeable.

10

15

20

25

In order to overcome these disadvantages, a number of prior art techniques have been developed.

According to these prior art techniques the colored soft contact lens is manufactured with a clear center portion so as not to obstruct the vision of the wearer. For example, U.S. Patent No. 3,679,504 discloses a method of producing a colored soft contact lens having a clear center portion surrounded by a colored portion. According to the patent, a thin covering layer of hydrogel is first formed, whereupon coloring is applied to the covering layer. The colored covering layer is then joined by a monomer cement to the concave face of an existing soft lens. The coloring may be applied such that the central lens portion is left clear.

U.S. Patent No. 3,962,505 also discloses colored



soft contact lens with a clear central portion. The patent discloses a m thod of making a contact lens having an annular color d ring concentric with a clear central p rtion. According to the method, a cylindrical well is cut in a plastic block, and an annular ring which may be colored, is disposed in the well. The portion of the well above the ring is subsequently sealed by cementing a plug therein. The desired lens shape is then cut from the plastic block to yield a lens having a colored annular ring.

10 U.S. Patent No. 4,157,892 is also directed to a colored soft contact lens having a clear central portion.

While these prior art techniques for producing colored soft contact lenses having a clear central portion overcome the disadvantage possessed by the prior art techniques which color the entire surface of the soft contact lens, the manufacturing processes for producing these improved colored soft contact lenses are complicated and expensive.

Applicant has overcome these disadvantages by producing a colored soft lens with a clear central portion by a simple method which results in a colored soft contact lens which is structurally different from the colored soft contact lenses disclosed in the prior art.



Disclosure Of The Invention

This invention relates to corneal contact lenses of soft plastic mat rial, and mor particularly t those of the type adapted for cosmetic use as well as for correction of vision. The invention further involves manufacture by lathe cutting or machining of the soft contact lenses from a preformed, multicolored body of plastic material in pre-hydrated condition. As will be explained in greater detail hereinafter, the lens is not hydrated until after it is cut from the multicolored body of plastic material at which time it absorbs fluid and expands.

5

10

15

20

25

30

A contact lens of the type set forth preferably has a clear central zone or transparent portion which may be about 4 to 5 millimeters in diameter in hydrated condition, thus permitting visual transmission. The central zone serves to provide optical correction when the outer surface of the lens is ground and polished to the prescribed curvature, taking into account the curvature of the inner surface of the lens which is fitted to the wearer's cornea. In addition, a secondary colored area or iris portion is provided about the clear central zone in order to fully cover the wearer's iris. This colored area extends outwardly to a diameter of about 12 millimeters when the lens is in hydrated condition. Finally, a peripheral zone is formed about the colored area from a transparent material. This zone extends outwardly to a diameter of about 14 to 15 millimeters when the lens is in hydrated condition. .

While the lens according to the present invention may be produced from any suitable material, it is presently preferred to produce the lens from a hydrogel based on 2-hydroxyethylmethacrylate (HEMA) crosslinked with ethylene glycol dimethacrylate (EGDM). Other



-5-

suitable hydrophilic synthetic polymers useful in the instant invention include those described in U.S. Patent Nos. 3,520,549 and 3,520,949, and British Patent No. 1,004,424.

- Such materials may also be colored to produce a opacified body or blank of the desired color by the addition of dye or of dispersed pigment, as set forth in the patents noted above. As defined herein an opacified body includes both a translucent body and an opaque body. The degree of opacity will depend upon the particular color and quantity of color employed and the thickness of the body or blank. It is presently preferred to employ colored plastic materials of the type disclosed in my copending application entitled "Method Of Pigmenting Water-Absorbable Plastic And Product Therefrom", which is incorporated herein by reference.
- 15 The lens of the present invention lends itself to manufacture by lathe cutting rather than by the spin casting technique. The lathe cutting procedure involves cutting or machining the lens from a shaped body or blank and then polishing it, preferably by means of precision machining. Although a shaped body for lathe cut lenses 20 has been formed in the past by casting into a stationary mold and then curing, it is a feature of the present invention that the body has multiple layers of colored and clear regions made by fabricating it from discs of the plastic HEMA material which are fused together. This procedure is most effective if the contacting disc surfaces 25 are wetted with initiated crosslinked HEMA, compressed and oven cured.

According to the present invention the cosmetic contact lens is lathe cut from a body of hydrophilic polymer made as described above. The discs may be flat or saucer shaped so that in the finished lens there are



stacked layers of clear and colored discs. The pupillary area of the lens is formed in a central zone thereof preferably from a clear layer, a secondary zone is formed about the central zone at least partly from one or more colored layers, and the preiperhal zone is formed about the secondary zone from a clear layer. Where adjacent layers of the secondary zone are colored and in overlapping relationship, the concentric rings of color are blended since colored HEMA can be translucent, thus affording cosmetic opportunities.

10

15

Brief Description of Drawings

FIG. 1 is a vertical sectional view of a body of material from which the lens may be cut, with broken lines indicating a proposed lens in phantom;

FIGS. 2 and 3 are vertical sectional and plan views, respectively, of a lens corresponding to the lens shown in phantom FIG. 1, made according to the invention;

FIG. 4 is a vertical sectional view of another embodiment of the invention, similar in content to the view of FIG. 1;

FIG. 5 is a vertical sectional view of a lens made from the body of FIG. 4;

FIG. 6 is a vertical sectional view of another embodiment of the invention, similar in content to the view of FIG. 1;

FIG. 7 is a vertical sectional view of the lens made from the body of FIG. 6:

FIG. 8 is a view similar to FIG. 1 of yet another embodiment of the invention; and

FIG. 9 is a vertical sectional view of a lens made from the blank of FIG. 7.



10

Best Mode Of Carrying Out The Invention

There is shown in FIG. 1 a blank or body of material in pr -hydrat d condition which becomes soft and swollen when wet (hydrated). It is a hydrophilic polymer, preferably 2-hydoxyethylmethacrylate (HEMA) crosslinked with ethylene glycol dimethacrylate (EGDM) or a suitable equivalent. When in pre-hydrated condition the body, also known as a "button" in the art, may be lathe cut or machined into a lens and then polished to the usual shape to have the prescribed optical characteristics. The lens is thereafter hydrated.

The body of FIG. 1 is designated 10, and comprises a lower layer 12, an intermediate layer 14, and an upper layer 16. The layers 12 and 16 are clear and the intermediate layer 14 is colored and opacified. 10 is preferably about 0.5 inches in diameter and about 15 5.5 millimeters thick . Layers 12 and 14 are each preferably about 1.5 millimeters_thick and the upper layer 16 is preferably about 2.5 millimeters thick. While these dimensions are presently preferred, body 10 including layers 12,14 and 16 may have any suitable dimension. thickness of the body 10, particularly layers 12 and 14, 20 depends on the curvature radius needed to produce the desired lens. For example, as the curvature radius increases the layers 12 and 14 are made thicker without changing the overall thickness of body 10. Also shown in this view in phantom and designated 18 is a contact lens which may be lathe cut from blank 10. The lens 18 is 25 described in further detail with reference to FIGS. 2 and З.

The lens 18 is a circular segment of a sphere, having a circular edge 20, an outer convex surface 22, and an inner concave surface 24. The pupillary area 26 is in a central zone of the lens, and it is formed entirely from



the clear upper lay r 16. The secondary zone 28 formed about the central zone 26 is formed entirely from colored intermediate lay r 14. The p ripheral zone 29 formed about th central zone 26 is formed entirely from th clear lower layer 12. This zone partly covers the sclera when womi. As best seen in FIG. 2, adjacent layers of the lens are in overlapping relationship, creating zones of diffused color which creates a lens of cosmetic interest even though only a single layer of translucent color is used.

In the embodiment of FIGS. 1 and 3, the layers of color extend generally parallel to the circular edge 20.

Method

The method for making the body, such as body 10, according to the invention will now be described.

The body 10 is made by first forming individual discs corresponding to the layers 12, 14 and 16 from a hydrophilic polymer such as HEMA. In the case of the 20 colored intermediate layer 14, color is preferably introduced to the HEMA before casting into discs by means of dispersed pigments or dyes. It is presently preferred to employ pigmented HEMA materials of the type described in my copending application entitled "Method Of Pigmenting 25 Water-Absorbant Plastic And Product Thereform. discs are wetted with initiated crosslinked HEMA gel on their mutually facing contact surfaces, then compressed thereby forcing out substantially all of the gel and oven cured at 80° to 95°C for 12 hours. As defined herein, initiated crosslinked HEMA is HEMA to which a suitable 30 crosslinking agent has been added such as an olefin glycol dimethacrylate and to which an initiator such as an organic peroxide has been added. This method results in a body 10 having all discs bonded and fused together in a

strong, integral unit.



The lens 14 is then formed by lathe cutting it from the body 10. It is thereafter p lished by means of precision machining techniques which are well kn wn in the art.

5

10

15

35

Finally, the lens is hydrated by well known techniques with distilled water a saline solution or the like. When hydrated the lens absorbs fluid and expands. The lens normally expands 20% (38% water absorption), but may expand more if another material such as methacrylic acid is added to the HEMA. For example, a lens having the following dimensions: a central zone having a diameter of 3.4 mm, a secondary colored zone having a diameter of 10.0 mm and a peripheral zone having a diameter of 4.08 mm, a secondary colored zone having a diameter of 4.08 mm, a secondary colored zone having a diameter of 12.0 mm and a peripheral zone of 14.4 when hydrated and assuming about 20% expansion.

An alternative embodiment according to the pre-20 sent invention will now be described with reference to The body of FIG. 4 is designated by the FIGS. 4 and 5. numeral 32, and the lens of FIG. 5 made therefrom is designated 34. For the sake of brevity, correspondingly similar elements of the various embodiments will be desig-25 nated by like reference numerals. Thus, it will be seen that the embodiment of PIGS. 4 and 5 differs from the embodiment of FIGS. 1 and 3 in that two layers 36, 38 of translucent color are provided intermediate the bottom layer 12 and the upper layer 16, in place of single layer 30 14. By using two different colors for the layers 36, 38 a different cosmetic effect may be achieved, not only by pairing compatible colors, but also by the blending or shading effect of their overlapping relationship.

A further embodiment according to the present invention will now be described with reference to FIGS. 6



and 7. In the embodiment of FIGS. 6 and 7 like reference numerals ar again employed to designate structurally similar parts. As shown in FIG. 6, the lens 40 is formed from a blank 41. FIG. 7 shows the cut lens. As shown, there is disposed between the bottom layer 12 and upper layer 16 four flat, colored layers respectively designated 42,44,46,48. This arrangement is particularly suitable for four layers that are different shades of the same color. Again, the areas of overlap provide regions of blended and diffused colors that are appealing visually. A wide variety of color choices may be used to obtain an aesthetically pleasing result.

In this embodiment, as well as the others, the pupillary area is curved into the central zone to provide a clear visual area of about 4 to 5 millimeters in diameter. The translucent quality of the colored peripheral zone also permits some additional visual transmission.

A still further embodiment according to the present invention will now be described with reference to FIGS. 8 and 9. There is shown in FIGS. 8 and 9 a body 50 from which is cut into a lens 52. This embodiment is similar to the embodiment of FIGS. 4 and 5 except that the layers are not flat like the layers 36, 38. Instead of layers 54, 56 of lens 52 are curved or saucer shaped, having a curve of greater radius than that of the concave surface of the lens. The layers 54, 56 may be regarded as circular segments of a sphere, as is the lens itself, except that the radius of each layer is larger than that of the lens. The circular periphery of each layer is disposed parallel to the circular edge 20. As best seen in FIG. 8, this arrangement of layers maximizes the overlap of the layers and thus provides a lens having a greater amount of blended and diffused color between adjacent,



-12-

while the invention has been shown in but several forms, it will be obvious that it is susceptible of various furth r changes and modifications which will fall within the scope of the claims that follow.

What is claimed is:



- Clarms:
- l. A cosmetic contact lens in the shape of a circular segment of a sphere and having a circular edg, comprising stacked lay rs of a clear and colored plastic material, with a pupillary area form d in a central zone thereof from a clear layer, a seconardy zone formed about said central zone at least partly from one or more colored layers, and a peripheral zone formed about the secondary zone from a clear layer.
- A cosmetic lens according to claim 1, wherein said plastic material is a hydrophilic polymer.
- 3. A cosmetic lens according to claim 1, wherein said hydrophilic polymer is 2-hydroxyethylmethacrylate (HEMA) crosslinked with a crosslinking agent.
- 4. A cosmetic lens according to claim 1, wherein said secondary zone is formed from at least two layers of colored plastic material.
- 5. A cosmetic lens according to claim 1, wherein said layers are disposed parallel to said circular edge.
- 6. A cosmetic lens according to claim 1, wherein said colored layers of said secondary zone are segments of spheres each having a radius flatter than the radius of the spherical shape of the lens and each terminating with its circular periphery disposed parallel to said circular edge.
- 7. A cosmetic lens according to claim 1, wherein at least said colored layers are in overlapping relationship in a direction parallel to the circular edge.
- 8. A cosmetic lens according to claim 3 made from stacked discs of said polymer fused together.
- 9. A cosmetic lens according to claim 8 made by the process of wetting the contacting surfaces of the stacked discs with initiated crosslinked HEMA, compressing



PCT/US83/00481

the stacked discs to discharge all but a trace of the HEMA from between said discs, curing the compressed stack of discs with heat, and cutting said lens from the fused stack f discs.

- a central zone formed from a clear layer of said plastic material, with said layers being disposed generally parallel to said circular edge whereby at least said colored layers are in overlapping relationship, said lens being made from stacked discs of 2-hydroxymethacrylate crosslinked with ethylene glycol dimethacrylate and fused together, said lens being sized and shaped to be worn on the eye with said central zone registering with the pupil of the eye and with a secondary zone covering the iris of the eye, the construction of said lens providing concentric circles of color which are diffused and blended together where adjacent layers are in overlapping relationship.
- 11. A cosmetic lens according to claim 1, wherein said colored layers are translucent.
- 12. A cosmetic lens according to claim 1, wherein said colored layers and at least one clear layer are in overlapping relationship in a direction parallel to the circular edge.
- 13. A cosmetic lens according to claim 10, wherein said colored layers and at least one clear layer are in overlappying relationship in a direction parallel to the circular edge.



1/1 FIG. I. FIG. 3. 16-**~**18 12 20 18 <u>25</u> FIG. 2. -26 -18 ر 20 FIG. 6. FIG. 4. 22. 26 16 16. 48 38· 36 46 12-12-كر 20 201 FIG. 5. FIG. 7. 26 <u>22</u>. 34 48-38. 20) 20 FIG. 8. - 50 16--52 56-54--12 205 FIG. 9. 267 52 56 54 ر 20 24

INTERNATIONAL SEARCH REPORT

International Application No PCT/US83/00481

				,			70303700481
		OF SUBJECT MAT				ate ail) *	
	p to Internati t. CL.	onal Patent Classification G02 C			s. Cl.	2517	162
ın	t. Ch.	GUZ C	7/04	0.	S. CI.	351/.	102
II. FIELD	S SEARCH	£D.					
			Minimum Docum				
Classificati	on System	·		Classification	Symbols		<u> </u>
U.:	S.	8/507	264/1.7	35	1/160.R	, 160	.н,162,177
			ation Searched other that euch Documen				
		•					
IIL DOCU		INSIDERED TO BE					
Category *		n of Document, 16 with				ges 17	Relevant to Claim No. 18
A		, 3454332, 1969	, Siegel		_		1 .
A	US,A	, 3536386,	publish Spivak	ed · 27	Octobe	r	1-
A	US,A	, 4071293,	publish Avery	ed 31	January	Y	1
Y	US,A	, 4121885, 1978,	publishe Erickson		Octobe	c	1-13 .
Y	US,A	, 4208362, 1980,	publishe Deichert		June		1-13
					•		
•	-	of cited documents: 15	o act which is not	or orl	ority date and no	ot in conflic	international filing date t with the application but
Cons E earlie filing	idered to be or document date	of particular relevance but published on or afte	r the International	invent "X" docum canno	ion nent of particula	ar relevance I novel or o	or theory underlying the ; the claimed invention cannot be considered to
which citation "O" docu	h is cited to on or other : ment referrin	may throw doubts on p establish the publicatio special reason (as speci g to an oral disclosure,	n date of another fied)	eanno docum	nent of particular to be considered to the considered	er relevance to involve as I with one o	the claimed invention inventive step when the remove other such docu-
other	means ment publish	ed prior to the international date claimed	·	in the			vious to a person skilled
IV. CERTI	FICATION		· · · · · · · · · · · · · · · · · · ·				
Date of the	Actual Comp	eletion of the Internation	al Search ²	Date of Mail	ing of this Interr	1983	rch Report ²
2	9 July	1983			J AUC	· · · · · · ·	
Internationa	Searching A	Authority 1		Signature of	Authorized Offi	cer 10	
I:	SA/US			777	1004-0	niga	rmar